SOUTH WEST REGIONAL PORTS ASSOCIATION

LICENCES FOR BOATS & BOATMEN
GUIDELINES

The 'Blue Book'

SWRPA Jan 2017

LICENCES FOR BOATS AND BOATMEN - GUIDELINES

CONTENTS

Section 1	Introduction
Section 2	SWRPA Members
Section 3	List of Licensing Authorities
Section 4	Public Health Act (1907) - Section 94
Section 5	Areas of Operation and Weather States
Section 6	General Principles
Section 7	Licencing Guidance
Section 8	Boat Inspection Checklist
Section 9	Licences for Boatmen
Section 10	Syllabus for Examination for a Licensed Boatman
Section 11	Licences to Let Small Boats for Hire

INTRODUCTION

These guidelines have been prepared by the South West Regional Ports Association (SWRPA) for use by Licensing Authorities under Section 94 of the Public Health Acts Amendment Act 1907 (as amended) or Harbour Bylaws should it so wished. They supersede all previous issues.

This document deliberately mirrors the guidance prepared by the Solent and Southern Harbour Masters' Association (SASHMA) for their members, with an aspiration that such guidance may become unified at some point in the future.

Section 94 of the Public Health Acts Amendment Act 1907 (as amended) authorises Local Authorities to grant licences for pleasure boats and pleasure vessels to be let for hire or to be used for carrying passengers for hire and also for persons in charge of navigating such vessels. The text of Section 94 of the Act is given in Section IV below. In addition, certain authorities have bylaws regulating pleasure boats and vessels and those in charge of or navigating such boats or vessels.

These guidelines use the MCA Inland Waters Small Passenger Boat Code (IWSPBC) as the criteria for the issue of a licence under the Public Health Acts. This Code can be obtained from the Maritime and Coastguard Agency (MCA) web site www.mcga.gov.uk

Applications for the granting or renewal of a Local Authority Boat Licence under the above act will be required to:

- Hold an appropriate commercially endorsed licence as listed in the IWSPBC or a Boatman's/Waterman's Licence issued by the Local Authority
- Operate the vessel from the Jurisdiction of the Local Authority. A licensing Authority may undertake to license vessels under these guidelines for another Authority by mutual agreement between appropriate person(s).
- Produce written verification that the vessel is constructed to the EU Recreational Craft Directive, or the Code for the design, Construction and Operation of Hire boats, a copy of which may be obtained from the MCA website, and/or comply with the requirements of Section 4 and Annexes 8 and 9 of the IWSPBC
- 4 Upon first survey and at periods not exceeding 5 years, written confirmation of satisfactory survey of the underwater hull.
- 5 Comply with the requirements of Annexes 4 and 5 of the IWSPBC with

regard to Safety Management and Risk Assessment.

A licensee will be required to maintain public liability insurance for a minimum of £3 million for any one accident and employer's liability insurance where applicable.

A Local Authority boat licence:

- 1 Is granted to the owner of the boat
- 2 Will not normally be transferable
- 3 May have additional conditions cited on the licence in regard to weather or any other condition at the discretion of the Local Authority issuing the licence.
- 4 Is valid for a period of 12 months only

SCOPE

The guidelines concern the safety of craft and their passengers and are limited to vessels up to 24m Load Line length carrying no more than 12 passengers operating in Category A, B, C and D waters, and other inland waters. These guidelines do **not** apply to: passenger ships; vessels which proceed to sea, or police vessels. Each of these is instead subject to one of the following:

- Safety code for passenger ships operating solely in UK Categorised waters (MSN 1823(M))
- Code of practice for the safety of small workboats and pilot boats
- Code of practice for the safety of small vessels in commercial user for sport or pleasure operating from a nominated departure point (NDP)
- Code of practice for the safety of small commercial motor vessels
- Code of practice for the safety of small commercial sailing vessels
- The Police Boat Codes, Amendment 3 (PCB 3)

This Code also does **not** apply to ships which satisfy the formula defined in the HSC Code and are capable of operating at speeds of 20 knots or more. Such ships shall comply with the HSC Code. Neither does it apply to fishing vessels.

Review

These guidelines should be reviewed at least annually to ensure that updates to legislation, non-statutory codes and best practice are swiftly incorporated herein.

Members of the South West Regional Ports Association

Axmouth

Bideford

Bridgewater

Bridport

Brixham (part of Torbay Harbours)

Bude

Charlestown, St Austell

Dart Harbour and Navigation Authority

Exeter River and Canal

Falmouth

Fowey

Gloucester

Hayle

Ilfracombe

Looe

Lyme Regis

Mevagissey

Newlyn

Newquay

Padstow

Paignton

Par

Penryn

Penzance

Plymouth – ABP Millbay Docks
Plymouth – Cattewater Harbour
Plymouth – City Council Harbour
Plymouth – Sutton Harbour

Polperro

Poole

Portland

River Yealm

Salcombe

St Ives

St Mary's, Isles of Scilly

St Mawes

Teignmouth

Torquay (part of Torbay Harbours)

Truro

Weymouth

Section 3

List of Authorities licensing under the Public Health Acts

Cornwall Unitary Council

Councils in Devon

East Devon Exeter North Devon Plymouth South Hams Teignbridge Torbay Torridge

Councils in Dorset

Poole Borough Council

Council of the Isles of Scilly

Harbour Commissioners

Dartmouth (on behalf of South Hams)
Falmouth
Fowey
Padstow

SECTION 94 OF THE PUBLIC HEALTH ACTS AMENDMENT ACT 1907

94.— Power to license pleasure-boats.

- (1) The local authority may grant upon such terms and conditions as they may think fit licences for pleasure boats and pleasure vessels to be let for hire or to be used for carrying passengers for hire, and to the persons in charge of or navigating such boats and vessels, and may charge for each type of licence such annual fee as appears to them to be appropriate.
- (2) Any such licence may be granted for such period as the local authority may think fit, and may be suspended or revoked by the local authority whenever they shall deem such suspension or revocation to be necessary or desirable in the interests of the public:

Provided that the existence of the power to suspend or revoke the licence shall be plainly set forth in the licence itself.

- (3) No person shall let for hire any pleasure boat or pleasure vessel not so licensed or at any time during the suspension of the licence for the boat or vessel, nor shall any person carry or permit to be carried passengers for hire in any pleasure boat or vessel unless—
 - (a) the boat or vessel is so licensed and the licence is not suspended; and (b) the person in charge of the boat or vessel and any other person navigating it is so licensed and his licence is not suspended and the conditions of his licence are complied with
- (4) A licence under this section shall not be required for any boat or vessel duly licensed by or under any regulations of the Board of Trade¹ or for a person in charge of or navigating such a boat or vessel.
- (5) No person shall carry or permit to be carried in any pleasure boat or pleasure vessel a greater number of passengers for hire than shall be specified in the licence applying to such boat or vessel, and every owner of any such boat or vessel shall, before permitting the same to be used for carrying passengers for hire, paint or cause to be painted, in letters and figures not less than one inch in height and three-quarters of an inch in breadth, on a conspicuous part of the said boat or vessel, his own name and also the number of persons which it is licensed to carry, in the form "Licensed to carry persons."
- (6) Every person who shall act in contravention of the provisions of this section shall for each offence be liable to a penalty not exceeding level 3 on the standard scale but a person shall not be guilty of an offence under this subsection by reason of his failure to comply with such conditions as are mentioned in subsection 3(b) of this section if it is shown that there is a reasonable excuse for the failure.
- (7) Any person deeming himself aggrieved by the withholding, suspension, or revocation of any licence under the provisions of this section may appeal to a petty sessional court held after the expiration of two clear days after such withholding, suspension, or revocation:

Provided that the person so aggrieved shall give twenty-four hours' written notice of such appeal, and the ground thereof, to the designated officer for the court, and the

.

¹ Now the MCA. Version 1.1

court shall have power to make such order as they see fit and to award costs, such costs to be recoverable summarily as a civil debt.

- (8) No licence under this section shall be required in respect of pleasure boats and pleasure vessels on any inland waterway owned or managed by Canal & River Trust.
- (9) In subsection (1) and (3) of this section "let for hire" means let for hire to the public.

AREAS OF OPERATION & WEATHER STATES

Areas of operation

The Merchant Shipping (Categorisation of Waters) Regulations, and Merchant Shipping Notice No MSN 1837 (M), should be consulted for a full list of areas.

Weather States

Rough/ very rough weather - Sea State 4 or above (wave height 1.2 to 2.0m)

Very Rough Weather - Sea State 5 (wave height 2.0m or more)

These sea states have been set because their likely wave height approaches that specified within the above MSN for Cat C or Cat D waters.

9

GENERAL PRINCIPLES

Annual Hull Survey

A licensed boat shall be surveyed annually by the licensing authority's surveyor or by a surveyor approved by the licensing authority, including an appropriate out-of-water examination of the hull at least every five years (more frequently for wooden hulls) and this should be documented. No licence shall be issued in respect of any boat until the surveyor is satisfied that the boat is of sound construction, has adequate stability and is in a fit state and equipped to operate within its designated area.

The surveyor shall examine and report on the structural condition of the hull and shall examine and report on the propulsion machinery, the electrical and pumping installations - but only in so far as these affect the seaworthiness of the boat.

It is recommended that the surveyor is guided by the relevant provisions of paragraph 4-12 of the SCV Code and of the IWSPBC.

The licensing authority shall maintain a list of approved surveyors, whom it is recommended shall have adequate professional indemnity insurance cover.

Reporting Procedure:

The operator or skipper of every licensed boat shall before proceeding to sea, inform the coastguard, harbour master, port authority or other responsible body or nominated agent registered and approved by the licensing authority, stating the name of the boat, its destination, the number of persons on board the boat and the approximate time of its return.

Insurance:

All licensed boats shall carry adequate passenger liability and third party insurance cover.

Drug and Alcohol Policy:

The operator should have in place a Drug and Alcohol Policy, which should include a statement that no crew member is to be under the influence of alcohol or drugs while in charge of, or operating on, the vessel, or when preparing to take charge of the vessel.

Safety Management System:

With reference to para 2.6 and annex 4 of the IW Code, the following note is intended to act as a simplified guide for licensing authorities:-

All operators should provide a documented Safety Management System to ensure that best practice is adhered to at all times. Attention is drawn to the Inland Waters Small Passenger Boat Code, which contains advice on the setting up of a S.M.S.

The system should contain:

- The operators Health and Safety protection policy.
- Documented lines of communication between those with responsibilities in the operation. This should contain a clear statement to the effect that the skipper has final authority for the safety of the vessel.
- Procedures for the safe operation of the vessel. This can include, but not be limited to, equipment testing checklists, bunkering checklists, predeparture checklists, passenger safety briefing.
- Operators to ensure that their passengers/hirers are fully conversant with the usage and stowage position of all safety appliances onboard and the wearing of lifejackets is to be demonstrated. Verbal instructions must be given to all passengers and hirers as per recommendations. The stowage position of the lifejackets is to be clearly marked and readily accessible.
- Emergency response procedures.
- Accident reporting procedures.
- Crew training records/records of musters and drills carried out.
- Instructions for the use of life saving apparatus, fire fighting apparatus, Navigational and safety equipment carried.
- Maintenance records including service records for life saving apparatus, fire fighting apparatus, engines, electrical installation, etc.

All licensed boatmen are required to leave ashore with a reliable person, the number of passengers onboard, separated into males, females and children under sixteen years of age. Details of where these records are kept and the shore contact, are to be left with the Harbour Master.

For self-hires, the licensed hirer will be required to record the name of the persons using the craft, separated into males, females and children. This information is to be retained by the hirer until the hire is complete.

LICENCING GUIDANCE

The spectrum of different vessels which may be licenced makes a 'one size fits all' approach impractical; the following guidance is provided to assist licencing authorities determine what factors to consider during the licencing process.

Beach floats	Licence the operator Restrict area of operation (eg not allowed in areas of strong tidal currents
Pedaloes	or waterways)
1 oddiooo	Operator to provide safety boat, the cox'n of which is to be a licenced
	boatman,
	or means of retrieving floats/pedaloes
Surfboard/bodyboard	Licence the operator
hire	Encourage operator to provide safety boat, the cox'n of which is to be a
	licenced boatman, or have alternative means of retrieving surfers Consider restricting area of use to within visual range of operator and/or
	lifeguard if practicable
Canoes	Encourage participants especially children to wear buoyancy aid Licence the operator. SUP operators should be encouraged to adopt the
Carioes	'BSUPA code of conduct' once it has been published.
Stand Up Paddleboards	Operator to provide safety boat, the cox'n of which is to be a licenced
(SUPs)	boatman (safety boat not required in sheltered waters)
()	All participants encouraged to wear buoyancy aids or life jackets,
	particularly novices
	Canoes to have sufficient internal buoyancy to remain afloat when filled with water
	Canoe or SUP to have leash, handrail or rope (as appropriate) to which
	participant can hold onto in the event of entering the water/capsize
	Restrict area of operation (eg not allowed in areas of strong tidal currents
	or waterways)
Power surfboard	Licence the operator
	Restrict use to areas free of bathers
Windsurf or sail board	Users to wear life jackets or buoyancy aids Licence the operator, who should be RYA qualified
Willusull Of Sall Doard	Operator to provide safety boat, the cox'n of which is to be a licenced
	boatman
	Participants to wear life jackets or buoyancy aids
	Each board to carry some form of safety signalling device (eg radio or
	other apparatus)
	Restrict use to areas free of bathers
Hovercraft	Licence the operator, who must hold a Certificate of Competence by the Hover Club of Great Britain Limited
	Operator to provide safety boat, the cox'n of which is to be a licenced
	boatman
	Users to wear life jackets or buoyancy aids
	Fan(s) to be safely screened
	Each craft to be fitted with control system which automatically throttles
	back
	Hovercraft registration certificate, plus CAA Hovercraft Safety Certificate
Self-drive motorboats	MCA hovercraft operating permit Licence the operator
Sell-drive molorboats	Operator to provide safety boat, the cox'n of which is to be a licenced
	boatman
	Restrict to areas free of bathers

Motorboats to be fitted with propeller safety guard All participants to wear buoyancy aids or life jackets Every user to be given safety instruction prior to taking control the craft, to include areas of use, means of attracting attention in case of difficulty, navigational orientation (eg explanation of buoyage in the area etc) and Col Regs Personal water craft (PWC) eg jet ski, flyboard Licence the operator Restrict use to areas absolutely free of bathers and other water users (although it may be permissible to allow jet skis and water-skiers may the same designated area) Operator to provide safety boat, the cox'n of which is to be a licenced boatman Users to wear life jackets or buoyancy aids Every user to be given safety instruction prior to taking control the craft	s y use
Personal water craft (PWC) eg jet ski, flyboard Licence the operator Restrict use to areas absolutely free of bathers and other water users (although it may be permissible to allow jet skis and water-skiers may the same designated area) Operator to provide safety boat, the cox'n of which is to be a licenced boatman Users to wear life jackets or buoyancy aids Every user to be given safety instruction prior to taking control the craft	y use d
(PWC) eg jet ski, flyboard Restrict use to areas absolutely free of bathers and other water users (although it may be permissible to allow jet skis and water-skiers may the same designated area) Operator to provide safety boat, the cox'n of which is to be a licenced boatman Users to wear life jackets or buoyancy aids Every user to be given safety instruction prior to taking control the craft	y use d
boatman Users to wear life jackets or buoyancy aids Every user to be given safety instruction prior to taking control the craft	
Users to wear life jackets or buoyancy aids Every user to be given safety instruction prior to taking control the craft	of
Every user to be given safety instruction prior to taking control the craft	of
the craft	O 1
1	
See also notes in Section 11	
Water skiing Operator and each boat to be licenced	
Operator should hold British Waterski and Wakeboard (BWSW) Coa	ch
Licence and conform to codes of practice	
At least 2 people in the boat when towing a person on skis (driver an	d
observer) when towing a person on skis	
Boat driver should hold at least Ski Boat Driver Level 2 or equivalent Restrict use to areas absolutely free of bathers and other water users (although it may be permissible to allow jet skis and water-skiers may the same designated area)	s
Area of take off and drop off to be marked and direction of circulation be specified	ı to
Every participant to wear life jacket or buoyancy aid	
Parascending/parasailing Operator and each boat to be licenced	
Boat cox'n to be licenced	
At least 2 people in the boat (driver and observer) when towing a per	son
Every participant to wear life jacket or buoyancy aid Restrict to areas absolutely free of bathers	
Kite Surfing Operator to be licenced	
Operator to be licenced Operator to be licenced Operator to be licenced boatman	t
Restrict to areas free of bathers	
Participants to wear life jacket or buoyancy aid	
Water taxi carrying no Licence the boat and boatman	
more than 12	
passengers	

Notes

Operators should be required to display notices stating

"No person should attempt to use one of these craft unless he or she can swim at least 40 metres fully clothed"

Safety boats. Where a safety boat is required is must either be afloat or ready for immediate launch.

Life jackets and buoyancy aids must be CEN or MCA approved.

BOAT INSPECTION CHECKLIST

Boat Name:	
Date:	
Category:	

- MCA Inland Water Small Passenger Boat Code MS (Boatmaster's Qualifications, Crew and Hours of Work) Regulations 2015

		Ref. *	Remarks
Third party Liability Insurance		T(C).	Remarks
for £3M			
101 20111			
Skipper			
Category A/B	Category C/D		
	3 ,		
Skipper to have an appropriate	Skipper to have as minimum	26.1	
Qualification or demonstrate to	MCA BML T2L2/ RYA	26.2	
Operator that competent and	Coastal/Day skipper +		
Local experience.	commercial endorsement + 12		
Recommended minimum	months experience/ RYA		
qualifications: MCA BMLT2L1	power boat level 2 +		
/RYA Inland Helm + 12	commercial endorsement + 12		
months experience/ RYA	months experience/		
power boat level 2 + 12	Waterman's/Boatman's		
months experience/	License issued by competent		
Waterman's license issued by	authority		
competent authority			
1-day short range VHF	1-day short range VHF	26.3	
certificate. If VHF fitted	certificate. If VHF fitted	00.4	
Medical certificate:	Medical certificate: ML5/ENG1/	26.4	
ML5/ENG1/ CAA commercial	CAA commercial pilots license		
pilots license DVLA group 2	DVLA group 2 drivers license		
drivers license HSE diving	HSE diving medical certificate		
medical certificate Evidence of satisfactory colour	Evidence of satisfactory colour	26.5	
Vision if not marine medical	Vision if not marine medical	20.5	
Basic Sea Survival certificate	Basic Sea Survival certificate	26.6	
Dasic Sea Survival certificate	Dasic Sea Survival certificate	20.0	
First Aid			
Elementary/ RYA Small Craft	Elementary/ RYA Small Craft	30.1	To be held by Skipper
First Aid Certificate/ HSE	First Aid Certificate/ HSE		or other member of
approved/ Ambulance service	approved/ Ambulance service		the crew
First Aid certificate.	First Aid certificate.		
Validity 5 years		30.2	

RYA small craft first aid is valid for 3 years

Construction and Structural Strength	
On first survey:	3.4.3
Post 1998, EC Recreational Craft Directive94/25/EC	
builders CE plate Cat A/B waters design cat. D. Cat. C/D	
waters, design cat C	
Max No of persons.	3.4.3
Hull Id No. (starboard side transom + hidden location)	3.4.3
Owner of Managed Andrew Country of a conformation of a conformatio	0.4.0
Owner's Manual – declaration of conformity & stability/	3.4.3
loading data	
Safe operation of boat info/ equipment positions Pre 1998 boats on first application: Survey by appropriate	4.1
surveyor that boat is IAW this code/Code for Design,	4.1
Construction, Operation of Hire Boats Code, or builders	
certificate with evidence that the boat is appropriately	
constructed for the area of intended operation.	
Vessels holding existing license in SASHMA areas:	4.5
Recent history of safe operation in required operating	
area.	
Weed hatch if fitted: 150mm above waterline and	4.6
watertight	
Hull/shell fittings/steering/propulsion to have documented	4.7
Out of water examination by competent person at least	
every 5 years	
Water freeing arrangements/drainage	
If water may be trapped – min. 2 freeing ports (1 each	6.1.1
Side) of Area: Cat. A/B 65 sq. cm/ Cat C 135 sq. cm/ Cat	0.1.1
D 225 sq. cm	
<i>B</i> 220 0q. 0111	
Machinery	
•	
Fit for purpose for intended service. Materials fire resistant	7.1.1
or otherwise protected	
Moving parts/hot surfaces/other hazards protected for	7.1.1
normal movement around vessel.	
Sufficient fuel capacity for area of operation.	7.1.2
Fuel tank vents to have flame gauze and be at or above	7.1.2
filling plate level and no danger of fuel/vapour escape.	
Engines in dedicated compartment remote from operator	7.1.3
then shut off fitted in feed pipe as close to tank as	
possible.	74.0
Outboard petrol tanks to have quick connection shut off	7.1.3
device.	715
Reliable starting mechanism. If by battery then battery	7.1.5
charger fitted.	
Cat C/D then duplicate battery + change over switch. Inflatable boats & open boats able to reach planing speed:	7.1.7
if remote throttle controls - then fitted with kill cord.	1.1.1
a round direction and the man	
1	ı I

Diesel engines		
If fuel tank has sight glass then self closing v/v to prevent	7.2.2	
spillage		
Portable fuel storage unit to be metal & means to contain		
spills & direct overside drainage of spills.	7.0.0	
Located on deck & away from heat source & build up of	7.2.2	
vapour. Separate from LPG	700	
Containers stored upright, secured & labelled (haz. Etc).	7.2.2	
Not to impede movement around vessel or escape routes.		
Petrol engines		
1 ou or originos		
To be suitable outboard.	7.3.1	
Fuel filling lines flexible hoses – connections leak proof	7.3.1	
and easily accessible for inspection.	7.0.1	
Fuel Tanks non-corrosive material. Secured low down as	7.3.1	
practicable.	7.0.1	
Joints/seams to be welded/brazed/close riveted – no		
solder.		
No Glass/plastic sight gauges – indicators to not allow		
escape of fuel if damaged.		
Dipsticks if fitted to be via gas tight fittings.		
Tanks bonded to deck filling plate & earth point in contact	7.3.1	
with water surrounding hull. Tanks > 2.5l within 1m of		
engine/heat source to be protected by Fire resistant baffle.		
Fuel drawn through top/near top of tank, except gravity	7.3.1	
feed to ensure no fuel dump if tank damaged. Fuel filters		
marine use and fire resistant. Flame trap/air filter to be		
fitted to air intake.		
Feed pipes suitable material, Adequately supported/Clear	7.3.1	
of exhaust/heat sources.		
Vessels may have < 5HP auxiliary engine with integral	7.3.2	
fuel tank if provided with filling precautions sign.	700	
Other than inflatable boats – permanent tank any spillage	7.3.3	
to drain overboard. Or portable tank < 27l. Hydrocarbon detector in enclosed locations liable to	7.3.4	
•	7.3.4	
vapour build up. Spare portable petrol containers not to be carried unless	7.3.5	
essential.	7.3.6	
If so, marked (haz etc.), secured on deck, easily	7.5.0	
jettisoned, spillage to drain Overboard. Away from LPG.		
Not impede normal movement or on Escape routes.		
Alternatively in fire resistant locker, Overside drainage.		
Small Vessels may have 5l container in deck locker	7.3.7	
vapour tight to interior/Not able to open from interior/drain		
overboard & ventilated to Atmosphere.		
1 -		
Electrical Installation		
Electrical equipment away from areas liable to	8.3	
hydrocarbon gas build up.		
Centralised lighting to have back up – may be torches	8.4	
sufficient to exit to open deck/deploy LSA/illuminate		
rescue equipment/work on essential machinery.		

Batteries firmly secured. If charging output > 0.2kW, batteries in well ventilated space. If >2.0kW well ventilated dedicated compartment. If natural ventilation then risk	8.5.1 8.5.2
assessment to prove low risk to life.	
Battery operated safety critical equipment to have back	8.5.4
up.	
Steering Gear/ Steering Position	
Steering Gean Steering i Osition	
Effective steering system with emergency arrangements.	9.1 9.3
Helmsman clear view.	9.2
Bilge Pumping/ Draining	
Powered or hand pump – allow any compartment to be drained.	10.1
Holding tank for oily bilge water. Auto start recommended	
except in areas where potential pollutants, no drawing from oil tight areas beneath engine/gearbox.	
Category A/B open vessels bucket/bailer	10.2
Bilge alarms if fitted to give audible/visual warning at	10.4.2
control position	10.1.2

Anchors and Cables		
Anchor with min. 4m chain.	20.1	
20m continuous length of rope, suitable for towing.	2.3	

Life Saving Equipment			
Category A/B	Category C/D		
One lifebuoy 18m line + light at night May have throw line as alternative If lifejackets worn then not required	2 lifebuoys, 1 with 18m line + light at night. If lifejackets worn by all then not required	13.1	
Lifejackets not required unless Vulnerable people – risk assessment must be provided	Enough for all on board. Solid buoyancy or inflatable. Not to rely solely on oral inflation. EN 396 150N (ISO 12402-3) or EN 399 275N. (ISO 12402-2) Lights if used at night. Serviced annually if regularly used, bi annually as minimum if not	13.2	
Category A/B/C	Category D		
Life raft not required	Liferaft for all on board. MCA/ISO 9650 Approved. SOLAS 'B' pack or MCA 'E' pack containing:		
	Buoyant line with buoyant quoit	13.3	
	2 buoyant folding safety knives + lanyards stowed near painter	13.3. 3	
	Buoyant bailer + lanyard	13.3. 3	
	2 sponges	13.3. 3	
	sea anchor attached to raft	13.3. 3	
	2 buoyant paddles	13.3. 3	
	1 st Aid kit in waterproof case	13.3. 3	
	Whistle	13.3. 3	
	2 Red hand flares	13.3. 3	
	Puncture repair outfit + bellows	13.3. 3	
	Equipment not attached to raft may be packed in raft by authorised person and contents listed on certificate or stowed in grab bag in prominent Position.	13.3. 4	
	Liferaft stowed on deck + hydrostatic Release or in	13.3. 5	

18

readily accessible and		
Dedicated locker opening onto		
deck.		
Maintained at manufacturers	13.5	
required intervals		
Instruction/maintenance	13.4.	
manual	1	
If the flares and Buoyant line	2.3	
with buoyant quoits are sealed		
within the life raft, then the		
equivalent should be also		
carried in an accessible place		
on the vessel.		
2 orange smoke floats	2.3	

Fire Safety		
Machinery compartments to ensure retention of released	14.1	
Fire Fighting		
Extinguishing medium to extinguish fire.		
Insulation non-combustible and impervious to oil.	14.2	
Means provided so as to keep machinery clean + means to	14.3	
contain oil spillage		
Recommended that fixtures and fittings to be fire retardant	14.5	
Galleys/sleeping accommodation fitted with smoke/heat	14.6	
detectors	14.7	
LPG installations annual inspection by competent person	14.4	
Means of Escape		

Means of Escape		
Means of escape such that no single event cuts off all escape routes. Account taken of numbers and restrictions on use of escapes.	14.8.1	
2 means of escape from: each sleeping compartment or other at risk accommodation	14.8.1	
2 means of escape from machinery space unless only occasionally visited and exit allows ready escape, or person always within 5m of exit	14.8.1	
Existing vessels with single means of escape from accommodation to have fire detectors as necessary for early warning.	14.8.2	
Fire Fighting Appliances		
The Highling Apphances		
Open/partially decked with no engine/ cookers/ heating/lighting etc, No fire extinguisher required.	15.1	
Inboard engine space to have remotely operated system either manual or automatic. May be portable extinguisher operable from outside the space, through fire hole. Extinguisher suitable for sizeof space but minimum rating 5A/34B.	15.2	
Cat A if outboard then 1 x suitable fire extinguisher		
Cat B/C/D Vessels >6m LOA, hand/powered pump + hose/nozzle to give 1 jet of Water to any part of vessel, or 1 multi-purpose extinguisher min. rating 13A/113B kept outside engine space or more in number giving an equivalent rating	15.5	
1 multi - purpose fire extinguisher min. rating 5A/34B at each exit from accommodation to deck but min. 2 extinguishers.	15.6	
Fire blanket in Galley/cooking area between door and stove.	15.7	
Fire bucket with lanyard	15.5	
Emergency Response Plan.	19.7	
Navigational Equipment		
	47.	
Navigation lights IAW International Collision Regs.	17.1	

etc)		
Category C/D		
Magnetic compass with deviation card or Fluxgate	19.1	
compass + back up supply, with deviation card if not	19.2	
internal calibration.		
Current chart/publications/tide tables for area of operation.	19.3	
Radar reflector/transponder	19.4	
Sailing vessels to have means of clearing rigging if dis-	19.5	
masted.		
Communication Equipment		
VHF fixed or mobile (recommended VHF DSC) + license.	16.1	
Portables to be waterproof or in waterproof pouch.	16.3	
Emergency communications card - easily accessible	16.4	
Accommodation		
Sufficient handholds/grab rails fitted within	21.1	
accommodation for		
Safe movement around vessel.	0.4.0	
Furniture/heavy equipment securely fastened	21.2	
Stowage Lockers to have secure fastening.	21.3	
Means of escape clearly marked and free from obstruction.	21.4	
Enclosed spaces adequately ventilated	21.5	
Protection of Personnel		
1 Totection of Leisonner		
Areas frequented by passengers to be enclosed or guard-	22.1	
rails/wires	22.1	
To min. ht. 1000mm. Maybe reduced in Cat A/B if		
•		
passengers seated	22.3	
passengers seated If impedes working of vessel then arrangements giving	22.3	
passengers seated If impedes working of vessel then arrangements giving equivalent safety	22.3	
passengers seated If impedes working of vessel then arrangements giving equivalent safety Cat. C/D – 2 safety harnesses and means of securing.		
passengers seated If impedes working of vessel then arrangements giving equivalent safety Cat. C/D – 2 safety harnesses and means of securing. Surface of working deck to be non slip/ Inflatable boats,	22.5	
passengers seated If impedes working of vessel then arrangements giving equivalent safety Cat. C/D – 2 safety harnesses and means of securing.	22.5	
passengers seated If impedes working of vessel then arrangements giving equivalent safety Cat. C/D – 2 safety harnesses and means of securing. Surface of working deck to be non slip/ Inflatable boats, upper surface of tubes non-slip finish.	22.5 22.6	
passengers seated If impedes working of vessel then arrangements giving equivalent safety Cat. C/D – 2 safety harnesses and means of securing. Surface of working deck to be non slip/ Inflatable boats, upper surface of tubes non-slip finish. Appropriate First Aid Kit stowed in accessible place. Tenders (Dinghies)	22.5 22.6	
passengers seated If impedes working of vessel then arrangements giving equivalent safety Cat. C/D – 2 safety harnesses and means of securing. Surface of working deck to be non slip/ Inflatable boats, upper surface of tubes non-slip finish. Appropriate First Aid Kit stowed in accessible place. Tenders (Dinghies) If carried, should be marked with carrying capacity and	22.5 22.6	
passengers seated If impedes working of vessel then arrangements giving equivalent safety Cat. C/D – 2 safety harnesses and means of securing. Surface of working deck to be non slip/ Inflatable boats, upper surface of tubes non-slip finish. Appropriate First Aid Kit stowed in accessible place. Tenders (Dinghies)	22.5 22.6 23	
passengers seated If impedes working of vessel then arrangements giving equivalent safety Cat. C/D – 2 safety harnesses and means of securing. Surface of working deck to be non slip/ Inflatable boats, upper surface of tubes non-slip finish. Appropriate First Aid Kit stowed in accessible place. Tenders (Dinghies) If carried, should be marked with carrying capacity and name of vessel	22.5 22.6 23	
passengers seated If impedes working of vessel then arrangements giving equivalent safety Cat. C/D – 2 safety harnesses and means of securing. Surface of working deck to be non slip/ Inflatable boats, upper surface of tubes non-slip finish. Appropriate First Aid Kit stowed in accessible place. Tenders (Dinghies) If carried, should be marked with carrying capacity and	22.5 22.6 23	
passengers seated If impedes working of vessel then arrangements giving equivalent safety Cat. C/D – 2 safety harnesses and means of securing. Surface of working deck to be non slip/ Inflatable boats, upper surface of tubes non-slip finish. Appropriate First Aid Kit stowed in accessible place. Tenders (Dinghies) If carried, should be marked with carrying capacity and name of vessel Prevention of Pollution	22.5 22.6 23 24	
If impedes working of vessel then arrangements giving equivalent safety Cat. C/D – 2 safety harnesses and means of securing. Surface of working deck to be non slip/ Inflatable boats, upper surface of tubes non-slip finish. Appropriate First Aid Kit stowed in accessible place. Tenders (Dinghies) If carried, should be marked with carrying capacity and name of vessel Prevention of Pollution Sanitation system to be capable of being sealed or made	22.5 22.6 23	
If impedes working of vessel then arrangements giving equivalent safety Cat. C/D – 2 safety harnesses and means of securing. Surface of working deck to be non slip/ Inflatable boats, upper surface of tubes non-slip finish. Appropriate First Aid Kit stowed in accessible place. Tenders (Dinghies) If carried, should be marked with carrying capacity and name of vessel Prevention of Pollution Sanitation system to be capable of being sealed or made inoperable.	22.5 22.6 23 24 25.2	
If impedes working of vessel then arrangements giving equivalent safety Cat. C/D – 2 safety harnesses and means of securing. Surface of working deck to be non slip/ Inflatable boats, upper surface of tubes non-slip finish. Appropriate First Aid Kit stowed in accessible place. Tenders (Dinghies) If carried, should be marked with carrying capacity and name of vessel Prevention of Pollution Sanitation system to be capable of being sealed or made inoperable. Oil tight tray fitted beneath engine/gearbox to prevent	22.5 22.6 23 24	
If impedes working of vessel then arrangements giving equivalent safety Cat. C/D – 2 safety harnesses and means of securing. Surface of working deck to be non slip/ Inflatable boats, upper surface of tubes non-slip finish. Appropriate First Aid Kit stowed in accessible place. Tenders (Dinghies) If carried, should be marked with carrying capacity and name of vessel Prevention of Pollution Sanitation system to be capable of being sealed or made inoperable.	22.5 22.6 23 24 25.2	

17.4 19.6 19.6

Version 1.1

Efficient sound signalling equipment.
Waterproof signalling torch
Boat Hook

Day shapes (anchor ball, cone for sailing vessels motoring

Sides of tray as high as practicable. Not required if oil tight structure fitted fore & aft of engine. No bilge pump to draw from oil tight area.	

LICENCES FOR BOATMEN

General

Any person having charge of a boat for the purpose of carrying passengers for hire shall be in possession of a current Boatman's Licence or an acceptable alternative licence as prescribed in the IWSPBC section 26.2.4 or Part 2 (Boatmasters Licences) of the Merchant Shipping (Boatmasters' Qualifications, Crew and Hours of Work) Regulations 2015.

Examiners should be appointed by the Harbour Master of the appropriate port or a MCA/RYA Yachtmaster Examiner.

Minimum Age

The minimum age for granting a Boatman's Licence shall be 18 years.

Duration

Licences shall be granted for a period of no longer than 5 years or until the holder reaches the age of 65 whichever period is shorter. Licences issued to persons of 64 years or over will be valid for three years or until the holder reaches the age of 75 whichever period is shorter. Licences issued to persons of 74 years and over will be valid for one year.

Exemption

Persons holding a current MCA Certificate of Competency for Deck Officers, an RYA Yacht master, MCA Boatmaster's License of an appropriate grade and for the appropriate area, or RYA Yachtmaster Coastal/Day Skipper/Advanced Powerboat or Powerboat level Certificate, with Commercial Endorsement, and 12 months relevant experience, or other higher qualifications, shall be exempt from all parts of the examination except that some licensing authorities may wish to examine all applicants on local knowledge.

Endorsements

The Boatman's Licence may be endorsed to give limitations with regard to area of operation, category of craft or other service at the discretion of the Examining Officer.

Medical Fitness

Licensed Boatmen should be in possession of an ML5 medical certificate or equivalent as prescribed in regulation 26.4 of the IWSPBC. Merchant Shipping Notices provide details of General Practitioners who will issue Medical Certificates complying with MCA requirements. Note that if an ML5 form is used to ascertain medical fitness the referral process contained therein cannot be employed – the MCA will return referrals to the licencing authority and it will be for them to determine whether or not the applicant is medically fit to hold a Boatmans' licence.

VHF Licence

A person wishing to have charge of a vessel fitted with VHF Radio is to produce a certificate of competence and authority to operate a VHF radio. The licence must be the Short Range Certificate (SRC) if the vessel's radio is DSC capable.

Basic Sea Survival Course

Licensed boatmen shall hold an approved Basic Sea Survival Course Certificate as prescribed by regulation 26.6 of the IWSPBC.

First Aid Certificate

Licensed Boatmen shall hold an appropriate First Aid certificate as prescribed by regulation 30 of the IWSPBC

SYLLABUS FOR EXAMINATION FOR A BOATMAN'S LICENCE

International Regulations for Preventing Collision at Sea

Full knowledge and practical application of the steering and sailing rules Part B. Section 1 (rules 4-9) and Part B, Sections II and III and a general knowledge of all other rules.

Distress Signals

Knowledge of the contents of Annex IV of the International Regulations for Preventing Collisions at Sea and the operation of the signals and equipment carried in the boat or boats for which the candidate is being examined.

Navigation

Compass: The candidate should be required to demonstrate his ability to steer a compass course. He should have an elementary knowledge of the effects of metal in the vicinity of the compass and a working knowledge of the application of deviation and variation.

Tides: Use of the tidal stream atlas and tide tables for calculation of tidal heights and dept of water for standard and secondary ports.

Chart Work:

- i) Plotting positions
- ii) Working up course to steer
- iii) Common chart symbols

Uniform System of Buoyage

Candidates should demonstrate a working knowledge of the System.

Local Knowledge

Byelaws, General directions, harbour directions

Port Authority VHF channels

Sources for LNTM's

Local traffic regulations

Local sea marks, to include buoyage, lights, leading lights and marks.

Local dangers to navigation: Minimum and maximum depths over banks or obstructions, currents and abnormal tidal streams.

Local safe landing places in differing weather conditions.

A general knowledge of the times and heights of spring tides and abnormal tides.

Safe compass courses in or out of local harbours.

Any other items of local knowledge which the examiners may consider to be necessary.

Boat Handling

Effects of windage on hull and rig.

Propeller and rudder effects.

Berthing and unberthing.

Mooring. (No motoring against spring while embarking / disembarking)

Use of warps.

General helmsmanship.

Use of anchors.

Emergencies

Procedures and instructions to passengers in the following cases: -

Man overboard.

Fire.

Beaching or stranding.

Engine breakdown.

Collision.

Abandoning ship or sinking.

Heavy weather.

Restricted visibility.

Weather Reports

Ability to obtain and understand weather reports.

Ropework

Knots, hitches, bends and splices in general use.

First Aid

Simple first aid, including resuscitation

Distress and Rescue

A knowledge of the Distress and Rescue section of the Annual Notices to Mariners. (Any local Protocols).

Note:

The syllabus may be varied to reflect a particular limitation on area of operation intended by the applicant and the licence suitably endorsed.

LICENCES TO LET SMALL BOATS FOR HIRE

SMALL VESSELS WITH LIMITED AREA OF OPERATION AND COMMERCIALLY OPERATED PLEASURE CRAFT USED FOR LEISURE ACTIVITIES FROM A BEACH OR HARBOUR

Category 1A - Small boats hired out, not in charge of a licensed boatman, excluding beach and other craft referred to in Categories 1B and 1C, suitable only for operations in sheltered waters or close to the shore.

Category 1B - Hire Boats capable of a speed of 17 knots or over whether or not in charge of a licensed boatman, (e.g. speedboats, jet skis, etc).

Category 1C - Craft other than those listed in Categories 1A and 1B of the type operated from the beach (such as pedalos, floats and other such craft adapted to go in the water) hired out and not in charge of a licensed boatman.

Boats under this category should operate under the Guidelines contained in The MCA IIWSPBC Annex 5.

Areas of Operation:

Normal Weather. Close to shore: - Limits to be determined by the licensing authority.

Rough/Very Rough Weather – Sea State 4 or above (Wave Height >1.2m) not to operate.

General

No person shall let for hire or reward any licensed vessel in Categories 1A, 1B (when not in charge of a licensed boatman) or 1C without having first obtained a licence from the Local Authority (herein called a Licence to Let Boats for Hire).

Marking and Inspection

Every vessel before being let for hire or reward shall have exhibited in some conspicuous part the forenames and surname of the licensed owner and the total number of person allowed to be carried. The Licence to Let Boats for Hire may be suspended if at any time an authorised Officer of the Local Authority shall be of the opinion that any of the vessels on hire is unfit to carry passengers.

Persons in Charge

The Licensee shall be responsible that no motor boat, mechanically propelled boat or sailing boat shall be let for hire or reward unless a competent person(s) be placed in charge thereof by the licence holder and remain in charge so long as the hire shall last. Such competent person should hold a nationally recognised qualification for the activity concerned, i.e. water sports instructors certificate. Additionally, the Licensee may require a Local Authority Licence/concession to operate.

Towing craft should have a minimum of two crew at all times, one to navigate and one to observe the tow.

Inflatable tows should be capable of supporting 110% of the manufacturers maximum weight limit with any one separate inflatable compartment punctured or otherwise deflated.

Persons under 8 years of age must be accompanied by an adult at all times.

In cases where vessel(s) let for hire are remote from the competent person, then the licensee shall ensure that there are sufficient competent persons to maintain visual contact with the hired vessel(s) at all times and provide sufficient means of immediate rescue in the event of an incident.

The Licensee shall ensure that the equipment is maintained in a proper state and that hirers are provided with sufficient information about the craft and it's equipment to enable it to be used safely for the intended purpose and that hirers are competent for the intended operation, Paragraph 1 of "Persons in Charge" defines competency in terms of required qualifications. This paragraph does not.

The licensee shall ensure that procedures are in place to alert the emergency services in the event of an incident, report and record to the licensing authority all incidents that have or could have led to injury.

PERSONAL WATERCRAFT (PWC)

In addition to the above, in the case of PWC, the licensee shall ensure that the hirer be aged 16 or over and be in possession of a valid driving license, an appropriate marine qualification or a nationally recognised qualification for the activity involved.

No person under 8 years old should be allowed to accompany the hirer.

PWC should not be hired for towing activities.